



HIGH PRESSURE WASHER

用水创造价值
Create Value with Water Power



Fussen Intelligent Equipment Manufacturing (Guangdong) Co., Ltd.

☎ +86 133 1285 1122

✉ lantian@fussen.com.cn

🌐 www.fussenpump.com

📍 Building 3, No.9 Shunying Road, Shunde District, Foshan, China

www.fussenpump.com

COMPANY PROFILE

About Us

Founded in 2001, Fussen has been consistently dedicated to the research, development, and innovation of high-pressure water jet technology, with more than 20 years of technical expertise in high-pressure plunger pumps.

Through advanced manufacturing processes and strict quality control, Fussen delivers pumps that are high quality, durable, and reliable. Our equipment is widely applied in ship cleaning, industrial paint and rust removal, petrochemicals, and building maintenance, and has gained broad recognition in both domestic and international markets.



Professional



International



Brand-Oriented



Professional

Professional High-Pressure Cleaning Technology

Fussen develops advanced high-pressure pump technology that ensures efficiency, durability, and stability across diverse industrial applications.

The high-pressure pump, as the core component of a high-pressure cleaner, directly determines the overall efficiency and stability of the system. With deep insights into industry requirements, Fussen has developed a comprehensive range of professional cleaning solutions designed to meet diverse needs across different pressure levels, flow rates, and working environments.

Fussen's high-pressure plunger pumps are engineered with strict material selection, high-precision machining, and advanced sealing technology to ensure reliability and performance.

Fussen pumps are equipped with ceramic and alloy steel plungers to ensure reliable performance and durability. The ceramic plungers offer excellent wear and corrosion resistance with a smooth, low-friction surface that extends seal life, while the alloy steel plungers provide exceptional strength and impact resistance for high-pressure applications. Together with high-quality water and oil seals, the system maintains stable operation and long service life. For particularly demanding environments, Fussen also provides customized corrosion-resistant and high-temperature-resistant seal solutions. As a result, the pumps deliver reliable stability, superior efficiency, and extended durability under diverse operating conditions.



International

International Quality Standards and Worldwide Reach

Fussen is committed to delivering products that meet the highest international standards and are shipped to customers worldwide.

The company operates in full compliance with the ISO9001 quality management system, ensuring excellence throughout design, production, testing, and service. All products are CE certified and comply with international safety requirements. With outstanding quality and consistent reliability, Fussen's pumps are widely used across Europe, the Middle East, Southeast Asia, and South America. Through long-term partnerships and a proven record of performance, the company has earned the trust of customers around the globe.



Brand-Oriented

Creating Value with Water

Fussen's brand philosophy is built on the belief that water is not only a resource but also a force for creating value.

The company is committed to delivering high-quality pumps while advancing intelligent, efficient, and eco-friendly cleaning technology. Through continuous investment in research, development, and product optimization, Fussen leads the high-pressure water jet industry forward. Looking to the future, the company will continue to innovate and provide global customers with more professional, reliable, and sustainable cleaning solutions.

25+

Years of Experience

200+




Patents

5000_{m²}


Factory



HONORS



Certifications



Patents





Certificato di esame UE del tipo

EU-type examination certificate

n. ECM 25 ATEX-B DQ70



Rilasciato ai sensi della direttiva 2014/34/UE – Allegato III - Modulo B
Issued according to 2014/34/EU Directive – Annex III - Module B

Richiedente

Applicant

Ragione Sociale Company Name Guangdong Fussen WaterJet Technology Co., Ltd.

Indirizzo Address Building 3, No. 9 Shunying Road, Xingtian Town, Shunde District, Foshan City, Guangdong Province

Apparecchiatura Equipment Explosion Proof High Pressure Washer



Logo

Logo

Modello(i) Model(s) FCEX 15/50, FAEX 15/20, FAEX 15/25, FBEX 15/27, FBEX 18/28, FBEX 21/20, FBEX 15/35, FCEX 21/35, FCEX 15/50, FCEX 18/50, FCEX 22/50, FCEX18/60, FDEX 30/50, FDEX 15/100, FDEX18/100, FKEX 25/100
Technical Data: 380V~50Hz, 15KW, 0-50Mpa, 900L/h, 1450r/min

Questa apparecchiatura o sistema di protezione e le sue eventuali varianti accettate sono descritte nel presente Certificato e nell'allegato dello stesso. This equipment or protective system and any acceptable variation thereto are described in this Certificate and its Annex.

L'ECM, Organismo Notificato n° 1282 in conformità all'art. 17 della Direttiva 2014/34/UE del Parlamento europeo e del Consiglio del 26 febbraio 2014, certifica che questa apparecchiatura o sistema di protezione verificata secondo la procedura di cui all'allegato III, Modulo B, è conforme ai requisiti essenziali di sicurezza e salute per il progetto e la costruzione di apparecchiature e sistemi di protezione destinati ad essere utilizzati in atmosfere potenzialmente esplosive, definiti nell'allegato II della Direttiva.

Le verifiche ed i risultati di prova sono registrati nel rapporto a carattere riservato n° PRD-2025-DQ70.

I requisiti essenziali di sicurezza e salute sono assicurati dalla rispondenza alle Norme applicate: EN IEC 60079-0:2018+A11:2024, EN 60079-1:2014+A11:2024, EN IEC 60079-7:2015+A1:2018+A11:2024, EN IEC 60079-15:2019.

Questo Certificato di esame UE del tipo è relativo soltanto al progetto, all'esame ed alle prove dell'apparecchiatura o sistema di protezione specificato in accordo con la Direttiva 2014/34/UE. Ulteriori requisiti di questa Direttiva si applicano al processo di produzione e fornitura dell'apparecchiatura o sistema di protezione: questi requisiti non sono oggetto del presente certificato.

L'apparecchiatura o il sistema di protezione deve riportare i seguenti contrassegni:

The equipment shall be marked with the following symbols:



II 2G Exdb mb ib px IIC T4 Gb, II 2D Ex tb pD IIC T130°C Db

Valsamoggia (BO)

Data - Date 07/05/2025

Timbro



Firma autorizzata
Authorized signature

Amanda Payne
(Deputy Manager)

Scadenza - Expiry date 06/05/2030

Test Report / Technical Construction File no. ---

Questo certificato, incluso l'allegato, può essere riprodotto solo integralmente e senza alcuna variazione.
This certificate, annex included, can only be reproduced in its entirety and without any change.

Cer. 11 ATEX All. III Rev. 1 – 06/03/2017

Pag. 1 di 1

Ente Certificazione Macchine srl

Via Ca' Bella 243 – Loc. Castello di Serravalle – 40053 Valsamoggia (BO)

+39 0516705141 +39 0516705156 ecm@entecerma.it www.entecerma.it



CERTIFICATE OF
MEMBERSHIP

This is to certify that

**Guangdong Fussen Waterjet
Technology Co., Ltd.**

October 2025 – September 2026

has been approved as a **Supplier Member**
of the International Marine Purchasing Association

IMPA2103441

Membership Number

Susan Koefoed
IMPA Chair & CEO

im pa International
Marine
Purchasing
Association

Founded in 1978, the International Marine Purchasing Association has been the leading Association for marine purchasing and supply professionals across the globe. The present member has fulfilled all requirements related to the application process and commits to observing the Association's Bylaws.

MILESTONES



2001

Fussen was established in Guangzhou China

2003

Independently developed electric and fuel powered high pressure washer

2005

Fussen high pressure washer conquer the entire national mid-to-high-end market

2007

Start researching and developing ultra-high-pressure water jet technology

2010

Awarded the ISO 9001 management certification

2012

Fussen high-pressure washer has passed international CE certification

2015

Awarded ISO 14001 Environmental Certification and OHSAS 45001 Occupational Health and Safety Certification

2016

Successfully listed on the New Third Board and recognized as a high-tech enterprise

2017

Recognized as the Guangdong Province Ultra-High-Pressure Water Jet Cleaning Intelligent Equipment Engineering Technology Research Center

2019

Establishing a high-pressure water jet technology research and development center and initiating a new mode of industry-education integration in technology research and development

2023

Awarded the titles of 'Specialized and Innovative Small and Medium-Sized Enterprises' and 'Innovative Small and Medium-Sized Enterprises' in Guangdong Province, and jointly established the Ultra-High-Pressure Pump Technology Research Center with the Shunde Research Institute of Beijing University of Science and Technology

▶
Road Cleaning



▶
Heavy Machinery Cleaning



▶
Property Cleaning



▶
Livestock Farm Cleaning

▶
Car Washing



▶
Rust Removal



▶
Ship Cleaning



▶
Railway Cleaning



CONTENTS

Electric High Pressure Washer

FSE Series	02
FAE Series	03
FBE Series	04
FCE Series	05
FME Series	06
FWE Series	07
FLE Series	08
FDE Series	09
FKE Series	10
FKE-S Series	11
FRE Series	12

Hot Water High Pressure Washer

FHP Series	14
FHS Series	15
FHE Series	16

Explosion-Proof High Pressure Washer

FAE-EX Series	18
FBE-EX Series	19
FCE-EX Series	20
FDE-EX Series	21

Gasoline High Pressure Washer

FAG Series	23
FBG Series	24
FCG Series	25
FDG Series	26

Diesel High Pressure Washer

FAD Series	28
FBD Series	29
FCD Series	30
FED Series	31
FKD Series	32

Accessories

Accessories	33
Nozzle Chart	35

Electric High Pressure Washer



FSE SERIES


Electric High Pressure Washer



Key Components

■ Intelligent Electric Control Box	■ Stainless Steel Frame
■ Industrial-Grade Motor	■ Solid Tires
■ High-Pressure Plunger Pump	■ Swivel Wheels
■ Pressure Regulating Valve	■ High-Pressure Gun
■ High-Precision Filter	■ Fan-Shaped Nozzle
■ Stainless Steel Pressure Gauge	■ High-Pressure Hose

Optional Accessories



Rotating Nozzle



Brass Pump



Nickel Plated Brass Pump



Stainless Steel Pump

Features



Easy to Move

Compact design, stylish, space-saving.



Premium Plunger Pump

Ceramic plungers and durable seals ensure long-term stable performance.



Industrial-Grade Motor

Four-pole, low-speed motor with low noise,high durability, and long service life.



Energy-Saving

Pressure switch stops the motor when the gun is released.

Models and Specifications

Model	Voltage (Ph/V/Hz)	Flow Rate (L/min)	Pressure (Bar/Mpa/PSI)	Power (kW)	RPM (Rpm)	Weight (kg)	Dimensions (L x W x H mm)
FSE 10/11	1/220/50	10	110/11/1595	2.2	1450	48	600 x 550 x 430
FSE 10/15	1/220/50	10	150/15/2175	3.0	1450	52	650 x 550 x 530
FSE 12/13	1/220/50	12	130/13/1885	3.0	1450	52	650 x 550 x 530
FSE 15/10	1/220/50	15	100/10/1450	3.0	1450	52	650 x 550 x 530

FAE SERIES


Electric High Pressure Washer



Key Components

■ Intelligent Electric Control Box	■ Carbon Steel Frame
■ Industrial-Grade Motor	■ Solid Tires
■ High-Pressure Plunger Pump	■ Swivel Wheels
■ Pressure Regulating Valve	■ High-Pressure Gun
■ High-Precision Filter	■ Fan-Shaped Nozzle
■ Stainless Steel Pressure Gauge	■ High-Pressure Hose

Optional Accessories



Rotating Nozzle



Brass Pump



Nickel Plated Brass Pump



Stainless Steel Pump

Features



Easy to Move

Compact design, stylish, space-saving.



Premium Plunger Pump

Ceramic plungers and durable seals ensure long-term stable performance.



Industrial-Grade Motor

Four-pole, low-speed motor with low noise,high durability, and long service life.



Energy-Saving

Pressure switch stops the motor when the gun is released.

Models and Specifications

Model	Voltage (Ph/V/Hz)	Flow Rate (L/min)	Pressure (Bar/Mpa/PSI)	Power (kW)	RPM (Rpm)	Weight (kg)	Dimensions (L x W x H mm)
FAE 15/15	3/380/50	15	150/15/2175	4.0	1450	68	640 x 640 x 500
FAE 15/20	3/380/50	15	200/20/2900	5.5	1450	78	640 x 640 x 500
FAE 15/25	3/380/50	15	250/25/3625	7.5	1450	85	650 x 640 x 500
FAE 18/20	3/380/50	18	200/20/2900	7.5	1450	85	650 x 640 x 500

FBE SERIES


Electric High Pressure Washer



Key Components

■ Intelligent Electric Control Box	■ Carbon Steel Frame
■ Industrial-Grade Motor	■ Solid Tires
■ High-Pressure Plunger Pump	■ Swivel Wheels
■ Pressure Regulating Valve	■ High-Pressure Gun
■ High-Precision Filter	■ Fan-Shaped Nozzle
■ Stainless Steel Pressure Gauge	■ High-Pressure Hose

Optional Accessories



Rotating Nozzle



Brass Pump



Nickel Plated Brass Pump



Stainless Steel Pump

Features



Easy to Move

Compact design, stylish, space-saving.



Premium Plunger Pump

Ceramic plungers and durable seals ensure long-term stable performance.



Industrial-Grade Motor

Four-pole, low-speed motor with low noise, high durability, and long service life.



Energy-Saving

Pressure switch stops the motor when the gun is released.

Models and Specifications

Model	Voltage (Ph/V/Hz)	Flow Rate (L/min)	Pressure (Bar/Mpa/PSI)	Power (kW)	RPM (Rpm)	Weight (kg)	Dimensions (L x W x H mm)
FBE 15/27	3/380/50	15	270/27/3915	9.2	1450	145	880 x 650 x 900
FBE 15/30	3/380/50	15	300/30/4350	9.2	1450	145	880 x 650 x 900
FBE 15/35	3/380/50	15	350/35/5075	11.0	1450	160	900 x 650 x 900
FBE 18/28	3/380/50	18	280/28/4060	11.0	1450	160	900 x 650 x 900
FBE 21/25	3/380/50	21	250/25/3625	11.0	1450	160	900 x 650 x 900

FCE SERIES


Electric High Pressure Washer



Key Components

■ Intelligent Electric Control Box (Soft Start)	■ Large-Capacity Water Tank
■ Industrial-Grade Motor	■ Float Valve
■ Coupling	■ Carbon Steel Heavy-Duty Frame
■ High-Pressure Plunger Pump	■ Pneumatic Shock-Absorbing Tires
■ Pressure Regulating Valve	■ Swivel Wheels
■ Safety Valve	■ High-Pressure Hose
■ High-Precision Filter	■ High-Pressure Gun
■ Stainless Steel Pressure Gauge	■ Fan-Shaped Nozzle

Optional Accessories



Rotating Nozzle



Brass Pump



Nickel Plated Brass Pump



Stainless Steel Pump

Features



Intelligent Soft Start

Soft start board ensures smooth start/stop, extending machine lifespan.



Water Inlet Protection

Dual precision filters and a large water tank with floating valve provide clean, stable water supply.



Industrial Grade Motor

Four pole, low speed motor with low noise, high durability, and long service life.



Premium Plunger Pump

High-performance pump with ceramic plungers and durable seals for reliable long-term use.

Models and Specifications

Model	Voltage (Ph/V/Hz)	Flow Rate (L/min)	Pressure (Bar/Mpa/PSI)	Power (kW)	RPM (Rpm)	Weight (kg)	Dimensions (L x W x H mm)
FCE 21/35	3/380/50	21	350/35/5075	15	1450	240	950 x 700 x 900
FCE 15/50	3/380/50	15	500/50/7250	15	1450	240	950 x 700 x 900
FCE 22/50	3/380/50	22	500/50/7250	22	1450	265	950 x 700 x 900
FCE 18/60	3/380/50	18	600/60/8700	22	1450	265	950 x 700 x 900

FME SERIES


Electric High Pressure Washer



Key Components

■ Intelligent Electric Control Box (Soft Start)	■ Solid Tires
■ Industrial-Grade Motor	■ Swivel Wheels
■ High-Pressure Plunger Pump	■ High-Pressure Hose
■ Pressure Regulating Valve	■ High-Pressure Gun
■ Safety Valve	■ Fan-Shaped Nozzle
■ High-Precision Filter	■ Stainless Steel Frame
■ Stainless Steel Pressure Gauge	

Optional Accessories



Rotating Nozzle



Brass Pump



Nickel Plated Brass Pump



Stainless Steel Pump

Features



Easy to Move

Compact design, stylish look, and space-saving.



Industrial-Grade Motor

Four-pole, low-speed motor with low noise, high durability, and long service life.



Intelligent Soft Start

Smooth start/stop system extends machine lifespan.



Premium Plunger Pump

Stainless steel pump with ceramic plungers and durable seals for stable, long-term performance.



Stainless Steel Frame

Strong, durable, and highly corrosion-resistant.

Models and Specifications

Model	Voltage (Ph/V/Hz)	Flow Rate (L/min)	Pressure (Bar/Mpa/PSI)	Power (kW)	RPM (Rpm)	Weight (kg)	Dimensions (L x W x H mm)
FME 21/35	3/380/50	21	350/35/5075	15	1450	200	950 x 700 x 900
FME 15/50	3/380/50	15	500/50/7250	15	1450	200	950 x 700 x 900
FME 22/50	3/380/50	22	500/50/7250	22	1450	230	950 x 700 x 900
FME 18/60	3/380/50	18	600/60/8700	22	1450	230	950 x 700 x 900
FME 18/50	3/440/60	18	500/50/7250	18	1750	200	950 x 700 x 900

FWE SERIES


Electric High Pressure Washer



Key Components

■ Intelligent Electric Control Box (Soft Start)	■ Stainless Steel Water Tank
■ Industrial-Grade Motor	■ Solid Tires
■ High-Pressure Plunger Pump	■ Swivel Wheels
■ Pressure Regulating Valve	■ High-Pressure Hose
■ Safety Valve	■ High-Pressure Gun
■ High-Precision Filter	■ Fan-Shaped Nozzle
■ Stainless Steel Pressure Gauge	■ Stainless Steel Frame

Optional Accessories



Rotating Nozzle



Brass Pump



Nickel Plated Brass Pump



Stainless Steel Pump

Features



Easy to Move

Compact design, stylish look, and space-saving.



Industrial-Grade Motor

Four-pole, low-speed motor with low noise, high durability, and long service life.



Intelligent Soft Start

Smooth start/stop system extends machine lifespan.



Premium Plunger Pump

Stainless steel pump with ceramic plungers and durable seals for stable, long-term performance.



Stainless Steel Frame

Strong, durable, and highly corrosion-resistant.

Models and Specifications

Model	Voltage (Ph/V/Hz)	Flow Rate (L/min)	Pressure (Bar/Mpa/PSI)	Power (kW)	RPM (Rpm)	Weight (kg)	Dimensions (L x W x H mm)
FWE 21/35	3/380/50	21	350/35/5075	15	1450	200	950 x 700 x 900
FWE 15/50	3/380/50	15	500/50/7250	15	1450	200	950 x 700 x 900
FWE 22/50	3/380/50	22	500/50/7250	22	1450	230	950 x 700 x 920
FWE 18/60	3/380/50	18	600/60/8700	22	1450	230	950 x 700 x 920
FWE 18/50	3/440/60	18	500/50/7250	18	1750	200	950 x 700 x 900

FLE SERIES

Electric High Pressure Washer



Key Components

■ Intelligent Electric Control Box (Soft Start)	■ High Precision Filter
■ Industrial-Grade Motor	■ Stainless Steel Filter
■ Coupling	■ Carbon Steel Heavy Duty Frame
■ High-Pressure Plunger Pump	■ Solid Tires
■ Pressure Regulating Valve	■ Swivel Wheels
■ High-Precision Filter	■ High-Pressure Gun
■ Stainless Steel Pressure Gauge	■ Fan-Shaped Nozzle
■ Stainless Steel Booster Pump	■ High Pressure Hose

Optional Accessories

- Pipe Cleaning Nozzle
- Foot Valve
- Hose Reel
- Rotating Nozzle



Brass Pump



Nickel Plated Brass Pump



Stainless Steel Pump

Features

Booster Pump for Stable Water Supply

Stainless steel horizontal centrifugal pump ensures reliable water flow to the high-pressure plunger pump.

Industrial-Grade Motor

Four-pole, low-speed motor with low noise, high durability, and long service life.

Premium Plunger Pump

Stainless steel construction with ceramic plungers and durable seals for long-lasting smooth operation.

Intelligent Soft Start

Smart control box with soft start board allows smooth start-up, reducing wear and extending machine life.

Models and Specifications

Model	Voltage (Ph/V/Hz)	Flow Rate (L/min)	Pressure (Bar/Mpa/PSI)	Power (kW)	RPM (Rpm)	Weight (kg)	Dimensions (L x W x H mm)
FLE 40/20	3/380/50	40	200/20/2900	15	1450	250	950 x 700 x 900
FLE 50/20	3/380/50	50	200/20/2900	22	1450	280	980 x 700 x 920
FLE 60/18	3/380/50	60	180/18/2610	22	1450	280	980 x 700 x 920
FLE 70/16	3/380/50	70	160/16/2320	22	1450	280	980 x 700 x 920

FDE SERIES


Electric High Pressure Washer



Key Components

■ Intelligent Electric Control Box (Soft Start)	■ High-Precision Filter
■ Industrial-Grade Motor	■ Stainless Steel Heavy-Duty Frame
■ Stainless Steel High-Pressure Plunger Pump	■ Water Tank
■ Pressure Regulating Valve	■ Swivel Wheels
■ Safety Valve	■ Dump Gun
■ Stainless Steel Pressure Gauge	■ Fan-Shaped Nozzle
■ Y Type Filter	■ High-Pressure Hose

Optional Accessories



■ Rotating Nozzle



Dump Gun with Rotating Nozzle



Stainless Steel Pump

Features

Easy to Move

Compact design, stylish appearance,easy to move, and space-saving.

Intelligent Soft Start

Soft starter ensures smooth motor start-up, extending machine lifespan.

Stainless Steel Frame

Corrosion-resistant frame suitable for long-term use in marine environments.

Premium Plunger Pump

High-performance stainless steel pump with alloy plungers and premium seals for durability and long service life.

Low Water Level Protection

Large-capacity stainless steel water tank with float valve prevents pump damage from dry running.

Industrial-Grade Motor

Four-pole, low-speed motor with low noise, high durability, and long service life.

Models and Specifications

Model	Voltage (Ph/V/Hz)	Flow Rate (L/min)	Pressure (Bar/Mpa/PSI)	Power (kW)	RPM (Rpm)	Weight (kg)	Dimensions (L x W x H mm)
FDE 30/50	3/380/50	30	500/50/7250	30	1450	450	1350 x 680 x 1200
FDE 20/80	3/380/50	20	800/80/11600	30	1450	455	1350 x 680 x 1200
FDE 15/100	3/380/50	15	1000/100/14500	30	1450	455	1350 x 680 x 1200
FDE 36/50	3/440/60	36	500/50/7250	36	1750	450	1350 x 680 x 1200
FDE 24/80	3/440/60	24	800/80/11600	36	1750	455	1350 x 680 x 1200
FDE 18/100	3/440/60	18	1000/100/14500	36	1750	455	1350 x 680 x 1200

FKE SERIES


Electric High Pressure Washer



Key Components

■ Intelligent Electric Control Box (Soft Start)	■ Booster Pump
■ Industrial-Grade Motor	■ Float Valve
■ Stainless Steel High-Pressure Plunger Pump	■ Carbon Steel Heavy Duty Frame
■ Pressure Regulating Valve	■ Pneumatic Tires
■ Safety Valve	■ Swivel Wheels
■ Stainless Steel Pressure Gauge	■ Dump Gun
■ High-Precision Filter	■ Fan-Shaped Nozzle
■ Water Tank	■ High-Pressure Hose

Optional Accessories



Rotating Nozzle



Dump Gun with Rotating Nozzle



Stainless Steel Pump

Features



Convenient to Move

Stylish appearance, compact design, easy to move, and space-saving.



Industrial-Grade Motor

Six-pole, low-speed motor with low noise, high durability, and long service life.



Intelligent Soft Start

Soft starter ensures smooth motor start-up, reducing wear and extending service life.



Premium Plunger Pump

High-performance stainless steel pump with alloy plungers and premium seals for durability and long-term stability.



Low Water Level Protection

Large-capacity stainless steel water tank with float valve prevents the pump from dry running and protects the machine from damage.

Models and Specifications

Model	Voltage (Ph/V/Hz)	Flow Rate (L/min)	Pressure (Bar/Mpa/PSI)	Power (kW)	RPM (Rpm)	Weight (kg)	Dimensions (L x W x H mm)
FKE 40/60	3/380/50	40	600/60/8700	45	1000	850	1550 x 1050 x 1350
FKE 25/80	3/380/50	25	800/80/11600	37	1000	850	1550 x 1050 x 1350
FKE 20/100	3/380/50	20	1000/100/14500	37	1000	850	1550 x 1050 x 1350
FKE 25/100	3/380/50	25	1000/100/14500	45	1000	850	1550 x 1050 x 1350

FKE-S SERIES


Electric High Pressure Washer



Key Components

■ Intelligent Electric Control Box (Soft Start)	■ Booster Pump
■ Industrial-Grade Motor	■ Float Valve
■ Stainless Steel High-Pressure Plunger Pump	■ Carbon Steel Heavy Duty Frame
■ Pressure Regulating Valve	■ Pneumatic Tires
■ Safety Valve	■ Swivel Wheels
■ Stainless Steel Pressure Gauge	■ Dump Gun
■ Stainless Steel Protective Panels	■ Fan-Shaped Nozzle
■ Water Tank	■ High-Pressure Hose

Optional Accessories



Rotating Nozzle



Dump Gun with Rotating Nozzle



Stainless Steel Pump

Features



Convenient to Move

Stylish appearance, compact design, easy to move, and space-saving.



Industrial-Grade Motor

Six-pole, low-speed motor with low noise, high durability, and long service life.



Stainless Steel Protective Panel

Stainless steel panels protect key parts and improve corrosion resistance.



Premium Plunger Pump

High-performance stainless steel pump with alloy plungers and premium seals for durability and long-term stability.



Low Water Level Protection

Large-capacity stainless steel water tank with float valve prevents the pump from dry running and protects the machine from damage.

Models and Specifications

Model	Voltage (Ph/V/Hz)	Flow Rate (L/min)	Pressure (Bar/Mpa/PSI)	Power (kW)	RPM (Rpm)	Weight (kg)	Dimensions (L x W x H mm)
FKE-S 40/60	3/380/50	40	600/60/8700	45	1000	850	1550 x 1050 x 1350
FKE-S 25/80	3/380/50	25	800/80/11600	37	1000	850	1550 x 1050 x 1350
FKE-S 20/100	3/380/50	20	1000/100/14500	37	1000	850	1550 x 1050 x 1350
FKE-S 25/100	3/380/50	25	1000/100/14500	45	1000	850	1550 x 1050 x 1350

FRE SERIES

Electric High Pressure Washer



Key Components

■ Intelligent Electric Control Box (Soft Start)	■ Water Tank
■ Industrial-Grade Motor	■ Float Valve
■ Coupling	■ Stainless Steel Pressure Gauge
■ Stainless Steel High-Pressure Plunger Pump	■ High-Precision Filter
■ Pressure Regulating Valve	■ High-Precision Stainless Steel Filter
■ Safety Valve	■ Carbon Steel Heavy-Duty Frame

Optional Accessories

■ Rotating Nozzle
■ Dump Gun
■ Fan-Shaped Nozzle
■ High-Pressure Hose
■ Flexible Lance
■ Foot Valve



Dump Gun with Rotating Nozzle



Flexible Lance



Foot Valve

Features



Industrial-Grade Motor

Four-pole, low-speed motor with low noise, high durability, and long service life.



Intelligent Soft Start

Soft starter ensures smooth motor start-up, extending machine lifespan.



Stainless Steel Frame

Corrosion-resistant frame suitable for long-term use in marine environments.



Premium Plunger Pump

High-performance stainless steel pump with alloy plungers and premium seals for durability and long service life.



Low Water Level Protection

Large-capacity stainless steel water tank with float valve prevents pump damage from dry running.

Models and Specifications

Model	Voltage (Ph V Hz)	Flow rate (L/min)	Pressure (Bar/Mpa/PSI)	Power (kW)	RPM (Rpm)	Weight (kg)	Dimensions (L x W x H mm)
FRE 120/100	3/380/50	120	1000/100/14500	252	400	2800	3300 x 1900 x 2100
FRE 90/140	3/380/50	90	1400/140/20300	150	400	2800	3300 x 1900 x 2100
FRE 50/150	3/380/50	50	1500/150/21755	300	400	2800	3300 x 1900 x 2100
FRE 45/280	3/380/50	45	2800/280/40000	250	400	2800	3300 x 1900 x 2100
FRE 150/70	3/380/50	150	700/70/10152	220	400	2800	3300 x 1900 x 2100

Hot Water High Pressure Washer



FHP

SERIES


Hot Water High Pressure Washer



Key Components

■ Intelligent Electric Control Box	■ Pressure Regulating Valve
■ Industrial-Grade Motor	■ High-Precision Filter
■ Diesel Boiler	■ Stainless Steel Pressure Gauge
■ Ignition Device	■ High-Strength Plastic Shell
■ Oil Pump	■ Solid Tires
■ High-Pressure Plunger Pump	■ High-Pressure Gun
■ Pressure Switch	■ Fan-Shaped Nozzle

Optional Accessories



Rotating Nozzle



Control Panel



Brass Pump



Nickel Plated Brass Pump



Stainless Steel Pump

Features

Simple Control

Easy-to-use panel with temperature adjustment knob and alarm indicator light.

Energy-Saving

Pressure switch shuts down the motor when the gun is released, saving energy and protecting the environment.

Premium Plunger Pump

High-pressure plunger system with ceramic plungers and durable seals for long-term stable operation.

Premium Oil Pump

European igniter and oil pump with high combustion efficiency; diesel boiler heats up to 90 °C.

Models and Specifications

Model	Voltage (Ph V Hz)	Flow Rate (L/min)	Pressure (Bar/Mpa/PSI)	Power (kW)	RPM (Rpm)	Weight (kg)	Dimensions (L x W x H mm)
FHP 15/20	3/380/50	15	200/20/2900	5.5	1450	130	1160 x 870 x 650
FHP 18/20	3/380/50	18	200/20/2900	7.5	1450	130	1160 x 870 x 650
FHP 15/25	3/380/50	15	250/25/3625	7.5	1450	130	1160 x 870 x 650

FHS

SERIES


Hot Water High Pressure Washer



Key Components

■ Intelligent Electric Control Box	■ Pressure Regulating Valve
■ Industrial-Grade Motor	■ High-Precision Filter
■ Diesel Boiler	■ Stainless Steel Pressure Gauge
■ Ignition Device	■ High-Strength Metal Shell
■ Oil Pump	■ Solid Tires
■ High-Pressure Plunger Pump	■ High-Pressure Gun
■ Pressure Switch	■ Fan-Shaped Nozzle

Optional Accessories



Rotating Nozzle



Control Panel



Brass Pump



Nickel Plated Brass Pump



Stainless Steel Pump

Features

Simple Control

Easy-to-use panel with temperature adjustment knob and alarm indicator light.

Energy-Saving

Pressure switch shuts down the motor when the gun is released, saving energy and protecting the environment.

Premium Plunger Pump

High-pressure plunger system with ceramic plungers and durable seals for long-term stable operation.

Premium Oil Pump

European igniter and oil pump with high combustion efficiency; diesel boiler heats up to 90 °C.

Models and Specifications

Model	Voltage (Ph V Hz)	Flow rate (L/min)	Pressure (Bar/Mpa/PSI)	Power (kW)	RPM (Rpm)	Weight (kg)	Dimensions (L x W x H mm)
FHS 15/20	3/380/50	15	200/20/2900	5.5	1450	130	1160 x 870 x 650
FHS 18/20	3/380/50	18	200/20/2900	7.5	1450	130	1160 x 870 x 650
FHS 15/25	3/380/50	15	250/25/3625	7.5	1450	130	1160 x 870 x 650

FHE SERIES

Hot Water High Pressure Washer

Key Components

- | | |
|------------------------------------|----------------------------------|
| ■ Intelligent Electric Control Box | ■ Stainless Steel Pressure Gauge |
| ■ Industrial-Grade Motor | ■ High-Strength Metal Shell |
| ■ High-Pressure Plunger Pump | ■ Solid Tires |
| ■ Pressure Switch | ■ High-Pressure Gun |
| ■ Pressure Regulating Valve | ■ Fan-Shaped Nozzle |
| ■ High-Precision Filter | ■ Electric Heating System |
| ■ Water Tank | |

Features



Simple Control

Easy-to-use panel with temperature adjustment knob and alarm indicator light.



Premium Plunger Pump


High-pressure plunger system with ceramic plungers and durable seals for long-term stable operation.



Energy-Saving

Pressure switch shuts down the motor when the gun is released, saving energy and protecting the environment.

Optional Accessories



Rotating Nozzle



Brass Pump




Nickel Plated Brass Pump



Stainless Steel Pump



Explosion-Proof High Pressure Washer



Models and Specifications

Model	Voltage (Ph V Hz)	Flow rate (L/min)	Pressure (Bar/Mpa/PSI)	Power (kW)	Heating Power (kW)	RPM (Rpm)	Weight (kg)	Dimensions (L x W x H mm)
FHE 15/20	3/380/50	15	200/20/2900	7.5	24/36/48	1450	125	1170 x 930 x 990
FHE 18/20	3/380/50	18	200/20/2900	7.5	24/36/48	1450	125	1170 x 930 x 990
FHE 15/25	3/380/50	15	250/25/3625	7.5	24/36/48	1450	125	1170 x 930 x 990

F AE-EX SERIES

Explosion-Proof High Pressure Washer



Key Components

■ Explosion-Proof Electric Control Box	■ Stainless Steel Pressure Gauge
■ Industrial Explosion-Proof Motor	■ Stainless Steel Heavy-Duty Frame
■ Coupling	■ Solid Tires
■ High-Pressure Plunger Pump	■ High-Pressure Gun
■ Pressure Regulating Valve	■ Fan-Shaped Nozzle
■ High-Precision Filter	■ High-Pressure Hose

Optional Accessories



Rotating Nozzle



Brass Pump



Nickel Plated Brass Pump



Stainless Steel Pump

Features



Convenient to Move

Compact design, easy to handle, and space-saving.



Explosion-Proof Motor

Ensures safe operation in explosive atmospheres.



High Explosion-Proof Rating

Optional ATEX, Exd IIB T4 Gb and Exd II C T4 Gb certifications



Explosion-Proof Control Box

Provides reliable protection in explosive atmospheres.



Premium Plunger Pump

High-pressure pump with ceramic plungers and durable seals for long-term stable performance.

Models and Specifications

Model	Voltage (Ph/V/Hz)	Flow Rate (L/min)	Pressure (Bar/Mpa/PSI)	Power (kW)	RPM (Rpm)	Weight (kg)	Dimensions (L x W x H mm)
F AE-EX 15/15	3/380/50	15	150/15/2175	5.5	1450	95	780 x 640 x 500
F AE-EX 15/20	3/380/50	15	200/20/2900	5.5	1450	95	780 x 640 x 500
F AE-EX 15/25	3/380/50	15	250/25/3625	7.5	1450	110	780 x 640 x 500
F AE-EX 18/20	3/380/50	18	200/20/2900	7.5	1450	110	780 x 640 x 500

F BE-EX SERIES


Explosion-Proof High Pressure Washer



Key Components

■ Explosion-Proof Electric Control Box	■ Float Valve
■ Industrial-Grade Explosion-Proof Motor	■ High-Precision Filter
■ Coupling	■ Stainless Steel Frame
■ High-Pressure Plunger Pump	■ Pneumatic Tires
■ Pressure Regulating Valve	■ High-Pressure Gun
■ Stainless Steel Pressure Gauge	■ Fan-Shaped Nozzle
■ Stainless Steel Water Tank	■ High-Pressure Hose

Optional Accessories



Rotating Nozzle



Brass Pump



Nickel Plated Brass Pump



Stainless Steel Pump

Features



Convenient to Move

Compact design, easy to handle, and space-saving.



Explosion-Proof Motor

Ensures safe operation in explosive atmospheres.



High Explosion-Proof Rating

Optional ATEX, Exd IIB T4 Gb and Exd II C T4 Gb certifications



Explosion-Proof Control Box

Provides reliable protection in explosive atmospheres.



Premium Plunger Pump

High-pressure pump with ceramic plungers and durable seals for long-term stable performance.

Models and Specifications

Model	Voltage (Ph/V/Hz)	Flow Rate (L/min)	Pressure (Bar/Mpa/PSI)	Power (kW)	RPM (Rpm)	Weight (kg)	Dimensions (L x W x H mm)
F BE-EX 15/30	3/380/50	15	300/30/4350	9.2	1450	200	980 x 680 x 1080
F BE-EX 15/35	3/380/50	15	350/35/5075	11.0	1450	215	980 x 680 x 1080
F BE-EX 18/28	3/380/50	18	280/28/4060	11.0	1450	215	980 x 680 x 1080
F BE-EX 21/25	3/380/50	21	250/25/3625	11.0	1450	215	980 x 680 x 1080

FCE-EX SERIES

Explosion-Proof High Pressure Washer



Key Components

- | | |
|--|---------------------------------|
| ■ Explosion-Proof Electric Control Box | ■ Stainless Steel Water Tank |
| ■ Industrial-Grade Explosion-Proof Motor | ■ Stainless Steel Float Valve |
| ■ Coupling | ■ Carbon Steel Heavy-Duty Frame |
| ■ High-Pressure Plunger Pump | ■ Solid Tires |
| ■ Pressure Regulating Valve | ■ Swivel Wheels |
| ■ Safety Valve | ■ High-Pressure Gun |
| ■ Stainless Steel Pressure Gauge | ■ Fan-Shaped Nozzle |
| ■ High-Precision Filter | ■ High-Pressure Hose |

Optional Accessories



Rotating Nozzle



Brass Pump



Nickel Plated Brass Pump



Stainless Steel Pump

Features



Convenient to Move

Compact design, easy to handle, and space-saving.



Explosion-Proof Motor

Ensures safe operation in explosive atmospheres.



High Explosion-Proof Rating

Optional ATEX, Exd IIB T4 Gb and Exd II C T4 Gb certifications



Explosion-Proof Control Box

Provides reliable protection in explosive atmospheres.



Premium Plunger Pump

High-pressure pump with ceramic plungers and durable seals for long-term stable performance.

Models and Specifications

Model	Voltage (Ph/V/Hz)	Flow Rate (L/min)	Pressure (Bar/Mpa/PSI)	Power (kW)	RPM (Rpm)	Weight (kg)	Dimensions (L x W x H mm)
FCE-EX 21/35	3/380/50	21	350/35/5075	15	1450	310	1250 x 580 x 1250
FCE-EX 15/50	3/380/50	15	500/50/7250	15	1450	310	1250 x 580 x 1250
FCE-EX 22/50	3/380/50	22	500/50/7250	22	1450	310	1250 x 580 x 1250
FCE-EX 18/60	3/380/50	18	600/60/8700	22	1450	310	1250 x 580 x 1250

FDE-EX SERIES


Explosion-Proof High Pressure Washer



Key Components

- | | |
|--|-------------------------|
| ■ Intelligent Electric Control Box | ■ Stainless Steel Frame |
| ■ Industrial-Grade Explosion-Proof Motor | ■ Solid Tires |
| ■ High-Pressure Plunger Pump | ■ Swivel Wheels |
| ■ Pressure Regulating Valve | ■ High-Pressure Gun |
| ■ High-Precision Filter | ■ Fan-Shaped Nozzle |
| ■ Stainless Steel Pressure Gauge | ■ High-Pressure Hose |


Optional Accessories



Rotating Nozzle



Dump Gun with Rotating Nozzle



Stainless Steel Pump

Features



Convenient to Move

Compact design, easy to handle, and space-saving.



Explosion-Proof Motor

Ensures safe operation in explosive atmospheres.



High Explosion-Proof Rating

Optional ATEX, Exd IIB T4 Gb and Exd II C T4 Gb certifications



Explosion-Proof Control Box

Provides reliable protection in explosive atmospheres.



Premium Plunger Pump

High-pressure pump with ceramic plungers and durable seals for long-term stable performance.

Models and Specifications

Model	Voltage (Ph/V/Hz)	Flow Rate (L/min)	Pressure (Bar/Mpa/PSI)	Power (kW)	RPM (Rpm)	Weight (kg)	Dimensions (L x W x H mm)
FDE-EX 30/50	3/380/50	30	500/50/7250	30	1450	450	1350 x 680 x 1200
FDE-EX 20/80	3/380/50	20	800/80/11600	30	1450	450	1350 x 680 x 1200
FDE-EX 15/100	3/380/50	15	1000/100/14500	30	1450	450	1350 x 680 x 1200
FDE-EX 36/50	3/440/60	36	500/50/7250	36	1750	450	1350 x 680 x 1200
FDE-EX 24/80	3/440/60	24	800/80/11600	36	1750	450	1350 x 680 x 1200
FDE-EX 18/100	3/440/60	18	1000/100/14500	36	1750	450	1350 x 680 x 1200

Gasoline

High Pressure Washer

FAG SERIES


Gasoline High Pressure Washer



Key Components

- | | |
|----------------------------------|----------------------|
| ■ Gasoline Engine | ■ Carbon Steel Frame |
| ■ High-Pressure Plunger Pump | ■ Pneumatic tires |
| ■ Gearbox | ■ Fuel Tank |
| ■ Pressure Regulating Valve | ■ High-pressure pipe |
| ■ High-Precision Filter | ■ High-Pressure Gun |
| ■ Stainless Steel Pressure Gauge | ■ Fan-Shaped Nozzle |
| ■ Battery | |


Optional Accessories



Rotating Nozzle



Brass Pump



Nickel Plated Brass Pump



Stainless Steel Pump

Features



Convenient to Move

Stylish appearance, compact design, easy to handle, and space-saving.



Powerful Performance

Gasoline engine from an internationally renowned brand, featuring low noise, high durability, and long service life.



Premium Plunger Pump

High-pressure pump with ceramic plungers and durable seals for long-term stable performance.

Models and Specifications

Model	Flow Rate (L/min)	Pressure (Bar/Mpa/PSI)	Power (kW)	RPM (Rpm)	Weight (kg)	Dimensions (L x W x H mm)
FAG 15/15	15	150/15/2175	4.0	1450	100	780 x 620 x 750
FAG 15/20	15	200/20/2900	5.5	1450	100	780 x 620 x 750
FAG 15/25	15	250/25/3625	7.5	1450	100	780 x 620 x 750
FAG 18/20	18	200/20/2900	7.5	1450	100	780 x 620 x 750

FBG SERIES


Gasoline High Pressure Washer



Key Components

■ Gasoline Engine	■ Battery
■ High-Pressure Plunger Pump	■ Heavy-Duty Frame
■ Gearbox	■ Pneumatic Tires
■ Pressure Regulating Valve	■ High-Pressure Hose
■ High-Precision Filter	■ High-Pressure Gun
■ Stainless Steel Pressure Gauge	■ Fan-Shaped Nozzle
■ Fuel Tank	

Optional Accessories



Rotating Nozzle



Brass Pump



Nickel Plated Brass Pump



Stainless Steel Pump

Features

Convenient to Move

Stylish appearance, compact design, easy to handle, and space-saving.

Powerful Performance

Gasoline engine from an internationally renowned brand, featuring low noise, high durability, and long service life.

Premium Plunger Pump

High-pressure pump with ceramic plungers and durable seals for long-term stable performance.

Models and Specifications

Model	Flow Rate (L/min)	Pressure (Bar/Mpa/PSI)	Power (kW)	RPM (Rpm)	Weight (kg)	Dimensions (L x W x H mm)
FBG 15/30	15	300/30/4350	9.2	1450	120	890 x 650 x 920
FBG 15/35	15	350/35/5075	11	1450	120	890 x 650 x 920
FBG 18/28	18	280/28/4060	11	1450	120	890 x 650 x 920
FBG 21/25	21	250/25/3625	11	1450	120	890 x 650 x 920

FCG SERIES


Gasoline High Pressure Washer



Key Components

■ Gasoline Engine	■ Fuel Tank
■ High-Ppressure Plunger Pump	■ Pneumatic Tires
■ Gearbox	■ Carbon Steel Frame
■ Pressure Regulating Valve	■ High-Pressure Gun
■ High-Precision Filter	■ Fan-Shaped Nozzle
■ Stainless Steel Pressure Gauge	■ High-Pressure Hose
■ Battery	

Optional Accessories



Rotating Nozzle



Brass Pump



Nickel Plated Brass Pump



Stainless Steel Pump

Features

Convenient to Move

Stylish appearance, compact design, easy to handle, and space-saving.

Powerful Honda Engine

Delivers strong performance, high durability, and long service life.

Premium Plunger Pump

High-pressure pump with ceramic plungers and durable seals for long-term stable performance.

Models and Specifications

Model	Flow Rate (L/min)	Pressure (Bar/Mpa/PSI)	Power (kW)	RPM (Rpm)	Weight (kg)	Dimensions (L x W x H mm)
FCG 21/35	21	350/35/5075	15	1450	150	950 x 700 x 980
FCG 15/50	15	500/50/7250	15	1450	150	950 x 700 x 980
FCG 30/30	30	300/30/4350	18	1450	150	950 x 700 x 980

FDG SERIES

Gasoline High Pressure Washer



Key Components

■ Gasoline Engine	■ Fuel Tank
■ High-Pressure Plunger Pump	■ Battery
■ Gearbox	■ Pneumatic Tires
■ Pressure Regulating Valve	■ Hose Reel
■ Safety Valve	■ Stainless Steel Frame
■ High-Precision Filter	■ High-Pressure Hose
■ Stainless Steel Pressure Gauge	

Optional Accessories

- Rotating Nozzle
- Pipe Cleaning Nozzle
- High-Pressure Gun
- Fan-Shaped Nozzle



Brass Pump



Nickel Plated Brass Pump



Stainless Steel Pump

Features



Convenient to Move

Stylish appearance, compact design, easy to handle, and space-saving.



Powerful Honda Engine

Delivers strong performance, high durability, and long service life.




Premium Plunger Pump

High-pressure pump with ceramic plungers and durable seals for long-term stable performance.

Models and Specifications

Model	Flow Rate (L/min)	Pressure (Bar/Mpa/PSI)	Power (kW)	RPM (Rpm)	Weight (kg)	Dimensions (L x W x H mm)
FDG 30/20	30	200/20/2900	12	1450	165	1100 x 600 x 1250
FDG 40/18	40	180/18/2610	15	1450	165	1100 x 600 x 1250
FDG 50/15	50	150/15/2175	15	1450	165	1100 x 600 x 1250
FDG 21/35	21	350/35/5075	15	1450	165	1100 x 600 x 1250
FDG 15/50	15	500/50/7250	15	1450	165	1100 x 600 x 1250

Diesel High Pressure Washer



FAD SERIES


Diesel High Pressure Washer



Key Components

■ Diesel Engine	■ Battery
■ Fuel Tank	■ Carbon Steel Frame
■ High-Pressure Plunger Pump	■ Pneumatic Tires
■ Gearbox	■ High-Pressure Gun
■ Pressure Regulating Valve	■ Fan-Shaped Nozzle
■ High-Precision Filter	■ High-Pressure Hose
■ Stainless Steel Pressure Gauge	

Optional Accessories



Rotating Nozzle



Brass Pump



Nickel Plated Brass Pump



Stainless Steel Pump

Features



Convenient to Move

Stylish appearance, compact design, easy to handle, and space-saving.



Powerful Diesel Engine

Well-known brand engine with low noise, high durability, and long service life.



Premium Plunger Pump

High-pressure pump with ceramic plungers and durable seals for long-term stable performance.

Models and Specifications

Model	Flow Rate (L/min)	Pressure (Bar/Mpa/PSI)	Power (kW)	RPM (Rpm)	Weight (kg)	Dimensions (L x W x H mm)
FAD 15/15	15	150/15/2175	4.5	1450	100	780 x 620 x 750
FAD 15/20	15	200/20/2900	5.5	1450	100	780 x 620 x 750
FAD 15/25	15	250/25/3625	7.5	1450	115	780 x 620 x 750
FAD 18/20	18	200/20/2900	7.5	1450	115	780 x 620 x 750

FBD SERIES


Diesel High Pressure Washer



Key Components

■ Diesel Engine	■ Battery
■ Fuel Tank	■ Stainless Steel Heavy-Duty Frame
■ High-Pressure Plunger Pump	■ Pneumatic Tires
■ Gearbox	■ High-Pressure Gun
■ Pressure Regulating Valve	■ Fan-Shaped Nozzle
■ High-Precision Filter	■ High-Pressure Hose
■ Stainless Steel Pressure Gauge	

Optional Accessories



Rotating Nozzle



Brass Pump



Nickel Plated Brass Pump



Stainless Steel Pump

Features



Convenient to Move

Stylish appearance, compact design, easy to handle, and space-saving.



Powerful Diesel Engine

Well-known brand engine with low noise, high durability, and long service life.



Premium Plunger Pump

High-pressure pump with ceramic plungers and durable seals for long-term stable performance.

Models and Specifications

Model	Flow Rate (L/min)	Pressure (Bar/Mpa/PSI)	Power (kW)	RPM (Rpm)	Weight (kg)	Dimensions (L x W x H mm)
FBD 15/35	15	350/35/5075	11	1450	165	1100 x 600 x 920
FBD 18/28	18	280/28/4000	11	1450	165	1100 x 600 x 920
FBD 21/35	21	350/35/5075	15	1450	165	1100 x 600 x 920
FBD 15/50	15	500/50/7250	15	1450	185	1100 x 600 x 920
FBD 30/30	30	300/30/4350	18	1450	185	1100 x 600 x 920

FCD SERIES

Diesel High Pressure Washer



Key Components

■ Intelligent Control Box	■ High-Precision Filter	■ Gearbox
■ Diesel Engine	■ Fan-Shaped Nozzle	■ Solid Tires
■ High-Pressure Plunger Pump	■ Battery	
■ Safety Valve	■ High-Pressure Hose	
■ Pressure Regulating Valve	■ Swivel Wheels	
■ Fuel tank	■ Carbon Steel Frame	
■ Stainless Steel Pressure Gauge	■ High-Pressure Gun	

Optional Accessories



Rotating Nozzle



Brass Pump



Nickel Plated Brass pump



Stainless Steel Pump

Features



Convenient to Move

Stylish appearance, compact design, easy to handle, and space-saving.



Premium Plunger Pump

High-pressure pump with ceramic plungers and durable seals for long-term stable performance.



Powerful Diesel Engine

Well-known brand engine with low noise, high durability, and long service life.

Models and Specifications

Model	Flow Rate (L/min)	Pressure (Bar/Mpa/PSI)	Power (kW)	RPM (Rpm)	Weight (kg)	Dimensions (L x W x H mm)
FCD 15/50	15	500/15/7250	15	1450	285	1170 x 920 x 1120
FCD 21/35	21	350/35/2900	15	1450	285	1170 x 920 x 1120
FCD 22/50	22	500/50/7250	22	1450	303	1170 x 920 x 1120
FCD 18/60	18	600/60/8700	22	1450	303	1170 x 920 x 1120
FCD 30/50	30	500/50/7250	30	1450	350	1170 x 920 x 1120

FED SERIES

Diesel High Pressure Washer



Key Components

■ Intelligent Control Box	■ Battery
■ Diesel Engine	■ Safety Rupture Disc
■ Coupling	■ Stainless Steel Pressure Gauge
■ Large-Capacity Diesel Tank	■ Stainless Steel Water Tank
■ Float Valve for Water Tank	■ Pressure Regulating Valve
■ Water Tank	■ Stainless Steel High-Pressure Plunger Pump
■ High-Precision Filter	■ Carbon Steel Heavy-Duty Frame

Optional Accessories

■ Rotating Nozzle
■ Pipe Cleaning Nozzle
■ Foot Valve
■ Hose Reel
■ High-Pressure Pipe
■ Dump Gun
■ Fan-Shaped Nozzle



Dump Gun with Rotating Nozzle



Stainless Steel Pump

Features



Easy to Control

Intelligent electric control box with LCD display for flexible and simple operation.



Premium Plunger Pump

High-pressure pump with ceramic plungers and durable seals for long-term stable operation.



Powerful Diesel Engine

Well-known brand engine with low noise, high durability, and long service life.



Low Water Level Protection

Large-capacity stainless steel water tank with internal float valve prevents pump damage from dry running.

Models and Specifications

Model	Flow Rate (L/min)	Pressure (Bar/Mpa/PSI)	Power (kW)	RPM (Rpm)	Weight (kg)	Dimensions (L x W x H mm)
FED 20/100	20	1000/100/14500	50	1000	1350	1600 x 950 x 1200
FED 25/100	25	1000/100/14500	58	1000	1650	1600 x 950 x 1200
FED 35/80	35	800/80/11600	56	1000	1350	1600 x 950 x 1200
FED 40/60	40	600/60/8700	50	1000	1350	1600 x 950 x 1200

FKD SERIES

Diesel High Pressure Washer



Key Components

■ Intelligent Control Box	■ High-precision Filter
■ Diesel Engine	■ Stainless Steel Pressure Gauge
■ Water Tank	■ Booster Pump
■ Gearbox	■ Diesel Fuel Tank
■ Stainless Steel High-Pressure Plunger Pump	■ Stainless Steel Water Tank
■ Pressure Regulating Valve	■ Float Valve
■ Safety Bursting Disc	■ Carbon Steel Frame

Optional Accessories

■ Rotating Nozzle
■ Pipe Cleaning Nozzle
■ Foot Valve
■ Hose Reel
■ High-Pressure Pipe
■ Dump Gun
■ Fan-Shaped Nozzle



Dump Gun with Rotating Nozzle



Flexible Lance



Foot Valve

Features

**Easy to Control**

Intelligent electric control box with LCD display for flexible and simple operation.

**Powerful Diesel Engine**

Well-known brand engine with low noise, high durability, and long service life.

**Premium Plunger Pump**

High-pressure pump with ceramic plungers and durable seals for long-term stable operation.

**Low Water Level Protection**

Large-capacity stainless steel water tank with internal float valve prevents pump damage from dry running.


Models and Specifications

Model	Flow Rate (L/min)	Pressure (Bar/Mpa/PSI)	Power (kW)	RPM (Rpm)	Weight (kg)	Dimensions (L x W x H mm)
FKD 120/100	120	1000/100/14500	264	400	2800	2530 x 1770 x 1830
FKD 150/70	150	700/70/10152	220	400	2800	2530 x 1770 x 1830
FKD 90/140	90	1400/140/20305	264	400	2800	2530 x 1770 x 1830
FKD 30/250	30	2500/250/36260	160	400	2800	2530 x 1770 x 1830
FKD 30/280	30	2800/280/40000	168	400	2800	2530 x 1770 x 1830

ACCESSORIES



ACCESSORIES



Nozzle Chart (20 - 200 bar)

Nozzle Size	Pressure																				
	Bar	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	
	PSI	290	435	580	725	870	1015	1160	1305	1450	1595	1740	1885	2030	2175	2320	2465	2610	2755	2900	
	Ø mm	Flow Rate (L/min)																			
015	0.80	1.5	1.9	2.2	2.4	2.6	2.8	3	3.2	3.4	3.6	3.7	3.9	4.0	4.2	4.3	4.4	4.6	4.7	4.8	
02	0.91	2.1	2.5	2.9	3.3	3.6	3.8	4.1	4.4	4.6	4.8	5.0	5.2	5.4	5.6	5.8	6.0	6.2	6.3	6.5	
025	1.00	2.5	3.1	3.5	4.0	4.3	4.7	5.0	5.3	5.6	5.9	6.1	6.4	6.6	6.9	7.1	7.3	7.5	7.7	7.9	
03	1.09	3.0	3.7	4.3	4.8	5.3	5.7	6.1	6.5	6.8	7.1	7.4	7.8	8.0	8.3	8.6	8.9	9.1	9.4	9.6	
035	1.15	3.6	4.4	5.1	5.7	6.2	6.7	7.2	7.6	8.0	8.4	8.8	9.1	9.5	9.8	10.1	10.4	10.7	11.0	11.3	
04	1.19	4.1	5.0	5.8	6.4	7.0	7.6	8.1	8.6	9.1	9.5	10	10.4	10.8	11.1	11.5	11.9	12.2	12.5	12.9	
045	1.27	4.6	5.6	6.5	7.3	8.0	8.6	9.2	9.8	10.3	10.8	11.3	11.7	12.2	12.6	13	13.4	13.8	14.2	14.6	
05	1.35	5.1	6.2	7.2	8.1	8.8	9.5	10.2	10.8	11.4	12.0	12.5	13.0	13.5	14.0	14.4	14.9	15.3	15.7	16.1	
055	1.40	5.6	6.8	7.9	8.8	9.7	10.5	11.2	11.9	12.5	13.1	13.7	14.3	14.8	15.3	15.8	16.3	16.8	17.2	17.7	
06	1.47	6.1	7.5	8.7	9.7	10.6	11.5	12.3	13.0	13.7	14.4	15.0	15.6	16.2	16.8	17.3	17.9	18.4	18.9	19.4	
065	1.52	6.6	8.1	9.4	10.5	11.5	12.4	13.2	14.0	14.8	15.5	16.2	16.9	17.5	18.1	18.7	19.3	19.9	20.4	20.9	
07	1.60	7.2	8.8	10.1	11.3	12.4	13.4	14.3	15.2	16.0	16.8	17.5	18.2	18.9	19.6	20.2	20.9	21.5	22.1	22.6	
075	1.65	7.6	9.4	10.8	12.1	13.2	14.3	15.3	16.2	17.1	17.9	18.7	19.5	20.2	20.9	21.6	22.3	22.9	23.6	24.2	
08	1.70	8.1	10.0	11.5	12.9	14.1	15.2	16.3	17.3	18.2	19.1	19.9	20.8	21.5	22.3	23.0	23.7	24.4	25.1	25.7	
085	1.75	8.7	10.6	12.3	13.7	15.0	16.2	17.4	18.4	19.4	20.3	21.3	22.1	23.0	23.8	24.5	25.3	26.0	26.7	27.4	
09	1.80	9.4	11.5	13.3	14.8	16.3	17.6	18.8	19.9	21.0	22.0	23.0	23.9	24.8	25.7	26.6	27.4	28.2	28.9	29.7	
095	1.85	9.8	12.0	13.9	15.6	17.0	18.4	19.7	20.9	22.0	23.1	24.1	25.1	26.0	26.9	27.8	28.7	29.5	30.3	31.1	
10	1.90	10.3	12.6	14.5	16.3	17.8	19.2	20.6	21.8	23.0	24.1	25.2	26.2	27.2	28.2	29.1	30.0	30.9	31.7	32.5	
105	1.94	10.7	13.2	16.6	18.2	18.6	19.9	20.1	22.8	23.5	25.2	25.7	27.4	28.4	28.8	30.4	30.6	32.2	33.1	33.2	
11	1.98	11.2	13.7	15.8	17.7	19.4	20.9	22.4	23.7	25.0	26.2	27.4	28.5	29.6	30.6	31.6	32.6	33.5	34.5	35.4	
115	2.03	11.6	14.2	16.4	18.4	20.1	21.8	23.3	24.7	26.0	27.3	28.5	29.6	30.8	31.8	32.9	33.9	34.9	35.8	36.8	
12	2.08	12.1	14.8	17.1	19.1	20.9	22.6	24.1	25.6	27.0	28.3	29.6	30.8	31.9	33.1	34.2	35.2	36.2	37.2	38.2	
125	2.13	12.5	15.3	17.7	19.8	21.7	23.4	25.0	26.6	28.0	29.4	30.7	31.9	33.1	34.3	35.4	36.5	37.6	38.6	39.6	
13	2.16	13.4	16.4	19.0	21.2	23.2	25.1	26.8	28.5	30.0	31.5	32.9	34.2	35.5	36.7	37.9	39.1	40.2	41.4	42.4	
14	2.26	14.3	17.5	20.2	22.6	24.8	26.8	28.6	30.4	32.0	33.6	35.1	36.5	37.9	39.2	40.5	41.7	42.9	44.1	45.3	
15	2.34	15.2	18.6	21.5	24.0	26.3	28.4	30.4	32.3	34.0	35.7	37.2	38.8	40.2	41.6	43.0	44.3	45.6	46.9	48.1	
16	2.41	16.1	19.7	22.8	25.5	27.9	30.1	32.2	34.2	36.0	37.8	39.4	41.0	42.6	44.1	45.5	46.9	48.3	49.6	50.9	
18	2.54	18.3	22.5	25.9	29.0	31.8	34.3	36.7	38.9	41.0	43.0	44.9	46.7	48.5	50.2	51.9	53.5	55.0	56.5	58.0	
20	2.69	20.6	25.2	29.1	32.5	35.6	38.5	41.1	43.6	46.0	48.2	50.4	52.4	54.4	56.3	58.2	60.0	61.7	63.4	65.1	
25	3.00	25.5	31.2	36.0	40.3	44.2	47.7	51.0	54.1	57.0	59.8	62.4	65.0	67.4	69.8	72.1	74.3	76.5	78.6	80.6	
30	3.30	30.4	37.2	43.0	48.1	52.7	56.9	60.8	64.5	68.0	71.3	74.5	77.5	80.5	83.3	86.0	88.7	91.2	93.7	96.2	
40	3.80	40.7	49.8	57.6	64.3	70.5	76.1	81.4	86.3	91.0	95.4	99.7	103.8	107.7	111.5	115.1	118.6	122.1	125.4	128.7	
50	4.20	51.0	62.4	72.1	80.6	88.3	95.4	102.0	108.1	114.0	119.6	124.9	130.0	134.9	139.6	144.2	148.6	152.9	157.1	161.2	
60	4.70	61.3	75.0	86.6	96.9	106.1	114.6	122.5	130.0	137.0	143.7	150.1	156.2	162.1	167.8	173.3	178.6	183.8	188.8	193.7	
70	5.10	71.6	87.6	101.2	113.1	123.9	133.9	143.1	151.8	160.0	167.8	175.3	182.4	189.3	196.0	202.4	208.6	214.7	220.5	226.3	
80	5.50	81.4	99.7	115.1	128.7	141.0	152.3	162.8	172.7	182.0	190.9	199.4	207.5	215.3	222.9	230.2	237.3	244.2	250.9	257.4	
90	5.90	91.7	112.3	129.7	145.0	158.8	171.5	183.4	194.5	205.0	215.0	224.6	233.7	242.6	251.1	259.3	267.3	275	282.6	289.9	

Nozzle Chart (210 - 1250 bar)

Nozzle Size	Pressure																			
	Bar	210	220	230	240	250	280	300	350	400	450	500	550	600	700	800	900	1000	1100	1250
	PSI	3045	3190	3335	3480	3625	4060	4350	5075	5800	6525	7250	7975	8700	10150	11600	13050	14500	15955	18130
	Ø mm	Flow Rate (L/min)																		
015	0.80	4.9	5.0	5.2	5.3	5.4	5.7	5.9	6.4	6.8	7.2	7.6	8.0	8.3	8.9	9.5	10.1	10.6	11.1	11.9
02	0.91	6.7	6.8	7.0	7.1	7.3	7.7	8.0	8.6	9.2	9.8	10.3	10.8	11.3	11.8	12.6	13.4	14.1	14.8	15.8
025	1.00	8.1	8.3	8.5	8.7	8.9	9.4	9.7	10.5	11.2	11.9	12.5	13.1	13.7	14.8	15.8	16.8	17.7	18.5	19.8
03	1.09	9.9	10.1	10.3	10.5	10.8	11.4	11.8	12.7	13.6	14.4	15.2	15.9	16.7	17.7	19.0	20.1	21.2	22.2	23.7
035	1.15	11.6	11.9	12.1	12.4	12.6	13.4	13.9	15.0	16.0	17.0	17.9	18.8	19.6	20.7	22.1	23.5	24.7	26.0	27.7
04	1.19	13.2	13.5	13.8	14.1	14.4	15.2	15.8	17.0	18.2	19.3	20.3	21.3	22.3	23.7	25.3	26.8	28.3	29.7	31.6
045	1.27	14.9	15.3	15.6	16.0	16.3	17.2	17.8	19.3	20.6	21.8	23.0	24.2	25.2	26.6	28.5	30.2	31.8	33.4	35.6
05	1.35	16.5	16.9	17.3	17.7	18.0	19.1	19.7	21.3	22.8	24.2	25.5	26.7	27.9	29.6	31.6	33.5	35.4	37.1	39.5
055	1.40	18.1	18.5	19.0	19.4	19.8	20.9	21.7	23.4	25.0	26.5	28.0	29.3	30.6	32.5	34.8	36.9	38.9	40.8	43.5
06	1.47	19.9	20.3	20.8	21.2	21.7	22.9	23.7	25.6	27.4	29.1	30.6	32.1	33.6	35.5	37.9	40.2	42.4	44.5	47.4
065	1.52	21.4	22.0	22.4	22.9	23.4	24.8	25.6	27.7	29.6	31.4	33.1	34.7	36.3	38.5	41.1	43.6	46.0	48.2	51.4
07	1.60	23.2	23.7	24.3	24.8	25.3	26.8	27.7	29.9	32.0	33.9	35.8	37.5	39.2	41.4	44.3	47.0	49.5	51.9	55.3
075	1.65	24.8	25.4	25.9	26.5	27.0	28.6	29.6	32.0	34.2	36.3	38.2	40.1	41.9	44.4	47.4	50.3	53.0	55.6	59.3
08	1.70	26.4	27.0	27.6	28.2	28.8	30.5	31.5	34.0	36.4	38.6	40.7	42.7	44.6	47.3	50.6	53.7	56.6	59.3	63.2
085	1.75	28.1	28.8	29.4	30.1	30.7	32.5	33.6	36.3	38.8	41.2	43.4	45.5	47.5	50.3	53.8	57.0	60.1	63.0	67.2
09	1.80	30.4	31.1	31.8	32.5	33.2	35.1	36.4	39.3	42.0	44.5	47.0	49.2	51.4	53.2	56.9	60.4	63.6	66.7	71.2
095	1.85	31.9	32.6	33.4	34.1	34.8	36.8	38.1	41.2	44.0	46.7	49.2	51.6	53.9	56.2	60.1	63.7	67.2	70.5	75.1
10	1.90	33.3	34.1	34.9	35.6	36.4	38.5	39.8	43.0	46.0	48.8	51.4	53.9	56.3	59.2	63.2	67.1	70.7	74.2	79.1
105	1.94	34.8	34.8	36.4	37.2	37.1	39.3	40.7	43.9	47.0	51.0	52.5	56.3	57.5	62.1	66.4	70.4	74.2	79.7	84.9
11	1.98	36.2	37.1	37.9	38.7	39.5	41.8	43.3	46.8	50.0	53.0	55.9	58.6	61.2	65.1	69.6	73.8	77.8	81.6	87.0
115	2.03	37.7	38.6	39.4	40.3	41.1	43.5	45.0	48.6	52.0	55.2	58.1	61.0	63.7	68.0	72.7	77.1	81.3	85.3	90.9
12	2.08	39.1	40.0	40.9	41.8	42.7	45.2	46.8	50.5	54.0	57.3	60.4	63.3	66.1	71.0	75.9	80.5	84.9	89.0	94.9
125	2.13	40.6	41.5	42.5	43.4	44.3	46.9	48.5	52.4	56.0	59.4	62.6	65.7	68.6	74.0	79.1	83.9	88.4	92.7	98.8
13	2.16	43.5	44.5	45.5	46.5	47.4	50.2	52	56.1	60.0	63.6	67.1	70.4	73.5	76.9	82.2	87.2	91.9	96.4	102.8
14	2.26	46.4	47.5	48.5	49.6	50.6	53.5	55.4	59.9	64.0	67.9	71.6	75.0	78.4	82.8	88.5	93.9	99.0	103.8	110.7
15	2.34	49.3	50.4	51.6	52.7	53.8	56.9	58.9	63.6	68.0	72.1	76.0	79.7	83.3	88.7	94.9	100.6	106.1	111.2	118.6
16	2.41	52.2	53.4	54.6	55.8	56.9	60.2	62.4	67.3	72.0	76.4	80.5	84.4	88.2	94.7	101.2	107.3	113.1	118.7	126.5
18	2.54	59.4	60.8	62.2	63.5	64.8	68.6	71.0	76.7	82.0	87.0	91.7	96.2	100.4	106.5	113.8	120.7	127.3	133.5	142.3
20	2.69	66.7	68.2	69.8	71.3	72.7	77.0	79.7	86.1	92.0	97.6	102.9	107.9	112.7	118.3	126.5	134.2	141.4	148.3	158.1
25	3.00	82.6	84.5	86.4	88.3	90.1	95.4	98.7	106.6	114.0	120.9	127.5	133.7	139.6	147.9	158.1	167.7	176.8	185.4	197.6
30	3.30	98.5	100.9	103.1	105.3	107.5	113.8	117.8	137.2	136.0	144.2	152.1	159.5	166.6	177.5	189.7	201.2	212.1	222.5	237.2
40	3.80	131.9	135.0	138.0	141.0	143.9	152.3	157.6	170.2	182.0	193.0	203.5	213.4	222.9	236.6	253.0	268.3	282.8	296.6	316.2
50	4.20	165.2	169.1	172.9	176.6	180.2	190.8	197.5	213.3	228.0	241.8	254.9	267.4	279.2	295.8	316.2	335.4	353.6	370.8	395.3
60	4.70	198.5	203.2	207.8	212.2	216.6	229.2	237.3	256.3	274.0	290.6	306.3	321.3	335.6	355.0	379.5	402.5	424.3	445.0	474.3
70	5.10	231.9	237.3	242.7	247.9	253.0	267.7	277.1	299.3	320.0	339.4	357.8	375.2	391.9	423.2	452.4	479.9	505.8	530.5	565.5
80	5.50	263.7	269.9	276.0	282.0	287.8	304.5	315.2	340.5	364.0	386.1	407.0	426.8	445.8	481.2	514.4	545.6	575.1	603.2	643.0
90	5.90	297.1	304.1	310.9	317.6	324.1	343.0	355.1	383.5	410.0	434.9	458.4	480.8	502.1	542.3	579.7	614.9	648.2	679.8	724.7